



## Request for Quotation for the Supply and Delivery of Personal Protective Equipment

1. The Carmona Water District hereinafter referred to as the "Purchaser" now requests for submission of price quotation for the procurement of the aforesaid item described in the Technical Specifications.
2. A set of technical specifications are provided in Attachment 1. All items listed under the Purchaser's Specifications must be complied with on a pass-fail basis. Failure to meet any one of the requirements may result in rejection of the quotation.
3. Procurement procedures will be conducted in accordance with the provisions of the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act 9184.
4. Quotations must be delivered/faxed/emailed on or before October 22, 2024 at 05:00 PM:

Carmona Water District  
Block 8, Lot 8, Joy St., Cityland Subdivision,  
Brgy. Mabuhay, City of Carmona, Cavite  
Tel. No. (046) 430-0832 local 103  
[carmonawd@yahoo.com](mailto:carmonawd@yahoo.com) [billing@carmonawd.gov.ph](mailto:billing@carmonawd.gov.ph)  
BAC Secretariat: [cornelio.pacleb@carmonawd.gov.ph](mailto:cornelio.pacleb@carmonawd.gov.ph)  
[customerservice@carmonawd.gov.ph](mailto:customerservice@carmonawd.gov.ph)

5. Prices must be quoted in Philippine Peso and must include the unit price and total price, inclusive of all taxes to be paid and other incidental cost to the delivery site/s if the contract is awarded.
6. Quotations shall be valid for one hundred twenty (120) calendar days from the deadline of submission of bids.
7. The delivery period shall be within forty-five (45) days upon receipt of Purchase Order (PO).
8. The winning bidder/supplier shall submit a notarized Omnibus Sworn Statement and a copy of Mayor's/Business Permit prior to the issuance of Purchase Order as stated in Annex "H" Appendix A of the Revised Implementing Rules and Regulations (IRR) of Republic Act 9184.  
*\*BIR Certificate of Registration shall be submitted in lieu of DTI Registration and Mayor's Permit.*
9. Delivery Site:

Carmona Water District  
Block 8, Lot 8, Joy St., Cityland Subdivision,  
Brgy. Mabuhay, City of Carmona, Cavite



10. The applicable rate for late deliveries is one tenth (1/10) of one (1) percent of the cost of the unperformed portion of the contract for every day of delay. The maximum deduction shall be ten percent (10%) of the amount of contract. Once the cumulative amount of liquidated damages reaches ten percent (10%) of the contract amount, the Purchaser shall rescind the contract without prejudice to other courses of action and remedies open to it.
11. The Purchaser reserves the right to accept or reject any quotation, and to annul the procurement process or reject all quotations at any time prior to contract award, without thereby incurring any liability to the affected bidder/bidders.

The Purchaser also reserves the right to waive minor deviations/defects or infirmities therein. A minor deviation/defect or infirmity is one that does not materially affect the overall functionality of the material and the capability of the supplier to perform the contract.

12. The prospective bidder/supplier shall submit the following:
- a) Quotation Form
  - b) Technical Specifications
  - c) Proof of PhilGEPS Registration

(SGD)

**ROCELISA G. MAULANIN**  
**Chairperson, Bids and Awards Committee**



## TECHNICAL SPECIFICATIONS

Purchaser's Specifications	Bidder's Specifications
<p style="text-align: center;"><b>Personal Protective Equipment</b></p> <p><u>Half Face Piece Reusable Respirator – 15 pcs</u></p> <ul style="list-style-type: none"> <li>• NIOSH approved for negative pressure air purifying and supplied air dual airline applications</li> <li>• Can be disassembled, cleaned and reused</li> <li>• Comfortable soft, lightweight facepiece with easy-to-adjust head straps</li> <li>• This half facepiece reusable respirator offers reliable and convenient respiratory protection and is suitable for many situations, helping provide protection against particulates and a wide variety of gases and vapors according to NIOSH approvals.</li> <li>• Connection Type: Bayonet</li> <li>• Facepiece Material: Thermoplastic Elastomer (TPE)</li> <li>• Facepiece Type: Half Facepiece Reusable</li> <li>• Features: Dual Airline Supplied Air Compatible</li> <li>• Harness Type: 4 point</li> <li>• Primary Material: Thermoplastic Elastomer (TPE)</li> <li>• Recommended Application: Assembly &amp; Mechanical, Chemical Clean-up, Chemical Handling, Chipping, Chiseling, Cleaning, Furnace Operation, Grinding, Laboratories, Machining, Masonary, Painting, Pouring/Casting, Sanding, Sawing, Welding</li> <li>• Recommended Industry: Construction, Food &amp; Beverage Manufacturing, General Manufacturing, Heavy Industrial, Manufacturing, Marine, Mining, Oil &amp; Gas, Pharmaceutical, Transportation</li> </ul> <p><u>Organic Vapor/Acid Gas Cartridge – 30 pcs</u></p> <ul style="list-style-type: none"> <li>• Swept-back design for enhanced field of view and balance</li> <li>• Simple installation and usage requirements reduce training needs</li> <li>• Bayonet compatibility allows use with many 3M half and full facepieces and certain 3M Scott full facepieces</li> <li>• Wide range of applications reduces inventory needs</li> <li>• For workplace/occupational use only 3M Gas, Vapour and Particulate Filters, 6099 have a bayonet-style connection that fits any full-face 3M Reusable Masks, and they're designed to optimise your field of vision. Filters offer lightweight and well-balanced breathing protection for hazardous environments.</li> </ul>	



Purchaser's Specifications	Bidder's Specifications
<ul style="list-style-type: none"> <li>Accessories: Yes</li> <li>Cartridge or Filter Type: Gas &amp; Vapor</li> <li>Clip-on Welding Shield: Yes</li> <li>Compatible with 3M PAPR Systems: Yes</li> <li>Compatible with 3M Supplied Air System: Yes</li> <li>Compatible with Welding Shield: Yes</li> <li>Connection Type: Bayonet</li> <li>Cool Flow Exhalation Valve: Yes</li> <li>Drop-down Feature: Yes</li> <li>Enhanced Comfort: Yes</li> <li>Enhanced Durability: Yes</li> <li>Eye Protection: Yes</li> <li>Hazard Type: Dust, mist, fumes, gases or vapours and combination hazards, Organic Vapor</li> <li>Protection Focus: Chlorine, Chlorine Dioxide, Hydrogen Chloride, Hydrogen Fluoride, Hydrogen Sulfide, Organic Vapor, Sulfur Dioxide</li> <li>Protection Type: Organic Vapor</li> <li>Specifications Met: Chlorine, Chlorine Dioxide, Hydrogen Chloride, Hydrogen Fluoride, Hydrogen Sulfide, Organic Vapor, Sulfur Dioxide</li> </ul> <p><u>Filter Adapter – 30 pcs</u></p> <ul style="list-style-type: none"> <li>Approved 3M system component</li> <li>Particle filter adapters increases scope of potential applications</li> <li>Designed to attach 3MTM Particulate Filters 2000/2200 Series and 7093/7093C to 3M gas/vapor respirators and cartridges</li> <li>Component works with 3M Respirator 5000 Series and 3M Cartridges 6000 Series.</li> <li>Accessories: Yes; Clip-on Welding Shield: Yes</li> <li>Compatible with 3M PAPR Systems: Yes</li> <li>Compatible with 3M Supplied Air System: Yes</li> <li>Compatible with Welding Shield: Yes</li> <li>Connection Type: Bayonet; Cool Flow Exhalation Valve: Yes</li> <li>Drop-down Feature: Yes; Enhanced Comfort: Yes</li> <li>Enhanced Durability: Yes; Eye Protection: Yes</li> <li>Material: Plastic; Product Type: Accessory &amp; Spare Part</li> <li>Purpose: Parts and Accessories</li> <li>Recommended Application: Assembly &amp; Mechanical, Cleaning, Painting</li> <li>Recommended Industry: General Manufacturing, Transportation</li> <li>Spare Part Type: Adapter</li> </ul>	



Purchaser's Specifications	Bidder's Specifications
<p><u>Grip Rubberized Orange Coated – 50 pairs</u></p> <ul style="list-style-type: none"> <li>Material: Latex coating, knit wrist cotton yarn, per pair</li> <li>Weight: 60g</li> <li>Excellent grip in wet/dry conditions. High abrasion resistance, breathable</li> <li>Application: general purpose apps</li> <li>Ideal for heavy duty tasks w/c involve a lot of abrasion</li> </ul> <p><u>Leather Welding Gloves – 2 pairs</u></p> <ul style="list-style-type: none"> <li>16" inches</li> <li>Material: Leather</li> <li>Color: Orange</li> </ul> <p><u>Super Anti-Cut &amp; Anti-Impact Gloves/0391 – 10 pairs</u></p> <ul style="list-style-type: none"> <li>HPPE Knitted liner, anti-cut level 5; Special processing for the palm, good anti-skid, anti-abrasion; TPR sewed on back, good anti-vibration &amp; anti-impact.</li> <li>Types of Protection: Impact Resistance, Cut Resistance Level 5</li> <li>Applications: Mechanical Industry, automobile manufacturing, security check, rescue industry, high risk industry, etc.</li> <li>Size: XL</li> </ul> <p><u>Super Anti-Cut Gloves w/ Finger Tips Dipping/0050 – 5 pairs</u></p> <ul style="list-style-type: none"> <li>Knitted w/ special anti-cut yarn, nitrile dipping on finger tips &amp; nitrile dots on palm; w/ good anti-abrasion, anti-tear performance, CE cut level 5 economic &amp; useful</li> <li>Cuff Style: Knitted</li> <li>Coating Material: Nitrile</li> <li>Color: Black/Gray</li> <li>Size: Free</li> <li>Length: 230-270mm</li> <li>Types of Protection: Cut Resistance Level 5</li> <li>Applications: Glass Industry, automotive assembly, high risk industry, etc</li> <li>Size: L</li> </ul> <p><u>PVC Safety Sleeve Chemical Resistant – 10 pairs</u></p> <ul style="list-style-type: none"> <li>The PVC dipping of the palm has good oil resistance &amp; cold resistance. It also has special grip w/ special anti-slip processing design. The total length of 70cm can better provide arm protection. The seamless cotton lining makes the</li> </ul>	



Purchaser's Specifications	Bidder's Specifications
<p>hand feel better, more flexible &amp; comfortable &amp; safer for the operator.</p> <ul style="list-style-type: none"> <li>Lining Material: Cotton</li> <li>Cuff Style: Elastic cuff</li> <li>Coating Material: PVC</li> <li>Color: Blue</li> <li>Length: 700mm</li> <li>Types of Protection:</li> <li>Chemical Resistance</li> <li>Applications: Oil filled industry, automobile, manufacturing, painting, fishing, frozen food</li> <li>Available Size: XL</li> </ul> <p><u>Chemical Gloves – 5 pairs</u></p> <ul style="list-style-type: none"> <li>Liquid &amp; chemical-resistant gloves are among the only ones suitable for handling strong organic chemicals, remaining virtually inert in aromatic &amp; chlorinated solvents.</li> <li>Primary Industries: Life Sciences, Chemical</li> <li>Antistatic: Yes EN1149</li> <li>Sizes: XL (10)</li> <li>Coating Color: Red</li> <li>Coating Material: Polyvinylalcohol</li> <li>Construction Supported: Supported</li> <li>Cuff Style: Gauntlet</li> <li>Grip Design: Smooth Finish</li> <li>Latex Free: Yes</li> <li>Length: 355mm; 14 inches</li> <li>Silicone Free: Yes</li> </ul> <p><u>Chemical Gloves – 10 pairs</u></p> <ul style="list-style-type: none"> <li>High performance nitrile compound provides an outstanding combination of chemical resistance &amp; strength, for optimal results in wet or dry work environments. The glove offers a far superior snag, puncture &amp; abrasion protection compared w/ rubber or neoprene gloves. High levels of flexibility, comfort &amp; dexterity. Suitable for heavy-duty cleaning apps.</li> <li>Primary Industries: Food processing. Metal fabrication, oil &amp; gas, Chemical</li> <li>Antistatic: Yes</li> <li>Size: XL (10)</li> <li>Chlorinated: Yes</li> <li>Coating Color: Green</li> <li>Coating Material: Nitrile</li> <li>Construction: Unsupported</li> <li>Cuff Style: Gauntlet</li> <li>Grip Design: Sandpatch</li> </ul>	



Purchaser's Specifications	Bidder's Specifications
<ul style="list-style-type: none"> <li>Latex Free: Yes</li> <li>Length: 457mm/18 inches</li> <li>Silicone: Free: Yes</li> <li>Thickness: 22 mil/0.56mm</li> </ul> <p><u>Chemical Gloves – 30 pairs</u></p> <ul style="list-style-type: none"> <li>High performance nitrile compound, providing an outstanding combination of chemical resistance &amp; strength for optimal results in wet or dry work environments. The glove offers a far superior snag, puncture &amp; abrasion protection compared w/ rubber or neoprene gloves. High levels of flexibility, comfort &amp; dexterity. Will not swell, weaken or degrade, &amp; does not promote contact dermatitis,</li> <li>Product category: Industrial Gloves, Chemical &amp; Liquid</li> <li>Antistatic: No</li> <li>Size: XL (10)</li> <li>Chlorinated: Yes</li> <li>Coating Color: Green</li> <li>Coating Material: Nitrile</li> <li>Construction: Unsupported</li> <li>Cuff Style: Gauntlet</li> <li>Grip Design: Reversed Lozenge</li> <li>Latex Free: Yes</li> <li>Length: 330mm</li> <li>Silicone Free: Yes</li> </ul> <p><u>Chemical Apron – 22 pcs</u></p> <ul style="list-style-type: none"> <li>Protection for body parts that are more exposed to hazardous substance. Aprons hold up against acids &amp; alkalies such as sulfuric acid &amp; sodium hydroxide</li> <li>They are water resistant, w/ neck &amp; waist ties.</li> <li>Material: PVC</li> </ul> <p><u>Disposable Latex Medical Gloves – 10 box</u></p> <ul style="list-style-type: none"> <li>Packaging: 100 pcs, gloves per dispenser</li> <li>Reliable protection, elasticity &amp; comfort in a disposable</li> <li>latex glove for multi-purpose use across a variety of industries</li> <li>Primary Industries: Food Processing, Janitorial/Sanitation, Automotive</li> <li>Material: Natural Rubber Latex</li> <li>Not made from natural rubber latex: No</li> <li>Color: Natural</li> <li>Cuff Length: Standard</li> <li>Powder Content: Fully textured</li> </ul>	



Purchaser's Specifications	Bidder's Specifications
<ul style="list-style-type: none"> <li>External Glove Surface: Smooth</li> <li>Freedom from holes (Inspection level): 4.0 AQL</li> <li>Palm Thickness (MM/MIL): 0.13/5.1</li> <li>Finger Thickness (MM/MIL): 0.15/5.9</li> <li>Allergy Prevention: None</li> <li>Size: L(8.5-9)</li> <li>Tested for Use w/ Chemotherapy Drugs: No</li> <li>Silicone Free: No</li> <li>Sterile: No</li> <li>Antistatic: No</li> <li>Double Gloving Recommendation: Yes, Underglove</li> <li>Glove Length (MM/Inches): 240/9.5</li> <li>Product Segmentation: Multi-Purpose</li> </ul> <p><u>Safety Goggles – 10 pcs</u></p> <ul style="list-style-type: none"> <li>Sleek wrap-around styling for a 180 degree, clear field of vision</li> <li>Direct &amp; indirect ventilation styles available for impact or splash apps</li> <li>Adjustable elastic or neoprene headband</li> <li>Pivoting headband clips to adjust strap around hard hats or hearing protection</li> <li>Peel-off goggle covers available to extend the life of the lens</li> <li>Can be worn over most prescription eyewear (OTG Compatible)</li> <li>Available w/ scratch-resistant hardcoating or optional anti-fog lens coating</li> <li>Hazards</li> <li>Biohazard</li> <li>Chemical</li> <li>Impact</li> <li>ANSI- Meets the ANSI Z87.1-2010 standard</li> <li>CSA- Tested by Honeywell to meet the requirements of the CSA Z94.3</li> </ul> <p><u>Anti-fog Smoke Lens – 20 pcs</u></p> <ul style="list-style-type: none"> <li>Stylish full eye protection w/ integrated side shields, 99.9% UV protected, scratch resistant hard coating. ANSI Z87+/CE EN 166.</li> </ul> <p><u>Disposable Facemask – 10 packs</u></p> <ul style="list-style-type: none"> <li>50 pcs per box</li> <li>Material: Polypropylene fabric, Melt-blown fabric nonwoven (PP)</li> <li>Color: Blue</li> </ul>	





Purchaser's Specifications	Bidder's Specifications
<ul style="list-style-type: none"> <li>Earloops Type: Round</li> <li>Layer: 3 ply</li> <li>Type: W/ ties on or elastic earloop</li> <li>Nose bar: Single aluminum strip</li> <li>FDA approved w/ CE cert.</li> </ul> <p><u>Local Pants &amp; Jacket Reflector – 35 pairs</u></p> <ul style="list-style-type: none"> <li>Color: Blue</li> <li>Size: Free size</li> <li>Material: Polyester w/ PVC coating</li> <li>Thickness: 0.18 MM</li> <li>Lining: 100% Polyester mesh &amp; taffeta</li> </ul> <p><u>Taclight High Powered Flashlight – 5 units</u></p> <ul style="list-style-type: none"> <li>Taclight High Powered Tactical Flashlight is made from aircraft-grade aluminum &amp; can withstand extreme temperatures, from freezing to boiling, water-proof &amp; shock-resistant.</li> <li>Modes of brightness: Low, medium, high, strobe (intermitent flashing), SOS (emergency signal)</li> <li>Functions: Taclight has built-in zoom function &amp; high-powered bulbs, 22x brighter than your regular flashlight (2 nautical mile visibility), portable 5.4 inches L x 1.6 inches width. Bulbs last more than 100,000 hours.</li> </ul> <p><u>NSS LED Headlamp – 2 units</u></p> <ul style="list-style-type: none"> <li>A light source affixed to the head for outdoor activities at night or in dark condition such as caving, orienteering, etc</li> <li>2w rechargeable headlamp</li> <li>1500mah rated capacity</li> <li>Mode light: 8 hrs bright light (250m)</li> <li>Mode light: 12 hrs weak light (150m)</li> </ul> <p><u>Ultrafit Earplug w/ Case – 30 pairs</u></p> <ul style="list-style-type: none"> <li>Stem helps users insert earplug into their ear canals</li> <li>No need to touch the ear tips during earplug insertion, helping to keep ear tips clean longer</li> <li>Soft polymer is washable &amp; reusable</li> <li>Noise Reduction Rating (NRR) 25 dB*</li> <li>Cord Type: Vinyl Corded for easy short term storage around the neck</li> </ul>	



Purchaser's Specifications	Bidder's Specifications
<p><u>Lifebouy Ring – 1 unit</u></p> <ul style="list-style-type: none"> <li>• Color: Orange</li> <li>• Material: PE Plastic case, PU foam inside</li> <li>• Size: Big (70 x 70cm)</li> <li>• Weight: Big 2.5 kg</li> <li>• Design for both pleasure boat &amp; commercial apps, these high quality standard life bouy rings feature a bright orange cross linked polyethylene outer shell that will not rot or mould &amp; is unaffected by extreme weather or prolonged outdoor exposure.</li> </ul> <p><u>Rubber Insulating Gloves – 14 pairs</u></p> <ul style="list-style-type: none"> <li>• Class O per pair</li> <li>• Color: Orange</li> <li>• Working voltage: 1000v, testing voltage: 5000v</li> <li>• Style: Straight Cuff: folden Length: 280mm</li> <li>• Standards: EN 60903, GB/T17622</li> </ul> <p><u>Safety Lockout Combination Bag – 1 unit</u></p> <p>Including:</p> <ul style="list-style-type: none"> <li>• Lock-out Portable bag BD-Z02 (1 pc), Aluminum lockout hasp BD-K11 (1 pc), Tagout BD-PO1 (10 pcs)</li> <li>• Special pen for PVC tag BD-P41 (1 pc), Nylon lock hasp BD-K44 (1 pc)</li> <li>• Adjustable cable lockout BD-L11 (1 pc), Electrical plug lockout BD-D42 (1 pc)</li> <li>• Nylon shackle safety padlock BD-G11 (3 pcs), Nylon long shackle safety padlock BD-G31 (1 pc)</li> <li>• Multi function circuit breaker lockout BD-D15 (2 pcs each)</li> <li>• Plarge type circuit breaker lockout BD-D16 (1 pc)</li> </ul> <p><u>A Frame Signage – 9 pcs</u></p> <ul style="list-style-type: none"> <li>• Wet Floor x3</li> <li>• Cleaning in Progress x2</li> <li>• No Parking x2</li> <li>• Out of Service x2</li> </ul> <p><u>Denim Welding Apron – 2 pcs</u></p> <ul style="list-style-type: none"> <li>• Maong Jacket</li> <li>• Material: maong</li> <li>• Ideal for welding, industrial, construction, kitchen &amp; maintenance apps.</li> <li>• Quality Denim Material: One size fits for all</li> </ul>	



Purchaser's Specifications	Bidder's Specifications
<ul style="list-style-type: none"> <li>Arm, shoulder to torso protection</li> </ul> <p><u>Welding Helmet- Hardhat Attachment – 2 pcs</u></p> <ul style="list-style-type: none"> <li>Standards: ANSI Z87.1</li> <li>Material: PP, Aluminum</li> <li>Color: Black</li> <li>Type: Mounted on a safety helmet</li> <li>Lens holder: Flip-up</li> <li>Lens size: 4 1/4" x 2" (108 x 51mm)</li> </ul> <p><u>Catch Double Lanyard w/ Shock/HCD005A – 2 pcs</u></p> <ul style="list-style-type: none"> <li>Lanyard Type: Webbing</li> <li>Material: Nylon, Polyester</li> <li>Webbing width: 45mm</li> <li>Length: 1.83m (6 ft) max</li> <li>Lanyard length: Max 2m</li> <li>Declaration distance: 1.75m, shock absorber deployment length</li> <li>Height of suspended worker: 2.5m, worker displacement &amp; harness extension</li> <li>Safety factor: 0.5m, safety factor &amp; clearance under worker</li> <li>Required fall distance using typical 2m lanyard: 6.75m, distance below anchor point to nearest obstruction</li> <li>Strength: 23 kN</li> <li>Color: Yellow</li> <li>Packaging: 1 pc per polybag 1 carabiner, alloy steel, chrome plated 2 forged large snap hooks, chrome plated w/ 1 energy absorber bag</li> <li>EN355:2002, CE0194</li> </ul> <p><u>Additional Requirement:</u></p> <ul style="list-style-type: none"> <li>Certificate of Conformity</li> </ul>	<p><b>Requirements:</b></p> <ul style="list-style-type: none"> <li><b>Please indicate the brand and model of the product being offered.</b></li> </ul>

Approved Budget for the Contract: Php266,796.00

Terms of Payment: Thirty (30) days upon complete delivery.

Delivery Site: Carmona Water District  
 Block 8, Lot 8, Joy St., Cityland Subd.  
 Brgy. Mabuhay, City of Carmona, Cavite

Delivery Period: Within forty-five (45) days upon receipt of Purchase Order (PO).



## REQUEST FOR QUOTATION FORM

Date: \_\_\_\_\_  
RFQ. No. 2024-10-0415

Attention: BIDS AND AWARDS COMMITTEE  
Block 8, Lot 8, Joy St., Cityland Subdivision, Brgy. Mabuhay,  
City of Carmona, Cavite

- 1) Having examined the subject Request for Quotation (RFQ) including the Technical Specifications, we, the undersigned offer to supply and deliver the following:

Description	Quantity	Delivery Site	Unit Price	Total Price
Personal Protective Equipment	1 Lot	Carmona Water District		

- 2) We undertake, if our Quotation or bid is accepted, to be available for delivery the above goods within forty-five (45) days upon receipt of Purchase Order (PO).
- 3) We agree to abide by this Quotation/bid for a period of one hundred twenty (120) days after the deadline of submission specified in the RFQ.
- 4) We understand that payment for items delivered will be made in the stated terms of payment to the winning supplier after the inspection and acceptance of goods delivered.

Name of company : \_\_\_\_\_

Postal address : \_\_\_\_\_

TIN No. : \_\_\_\_\_

Telephone/ Fax No./ Email Address : \_\_\_\_\_

Supplier's representative : \_\_\_\_\_

Signature over printed name : \_\_\_\_\_

Designation : \_\_\_\_\_

## Omnibus Sworn Statement

---

REPUBLIC OF THE PHILIPPINES )  
CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S.

### AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

*[If a sole proprietorship:]* I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

*[If a partnership, corporation, cooperative, or joint venture:]* I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

*[If a sole proprietorship:]* As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

*[If a partnership, corporation, cooperative, or joint venture:]* I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

*[If a sole proprietorship:]* The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a partnership or cooperative:]* None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a corporation or joint venture:]* None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. **In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.**

IN WITNESS WHEREOF, I have hereunto set my hand this \_\_\_ day of \_\_\_, 20\_\_ at \_\_\_\_\_, Philippines.

*[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]*

*[Insert signatory's legal capacity]*  
Affiant

**[Jurat]**

*[Format shall be based on the latest Rules on Notarial Practice]*